

Air Conditioning
Technical Data
CTXA-AS/AT/AW,
FTXA-AS/AT/AW



- | | | |
|----------------|----------------|----------------|
| > CTXA15A2V1BS | > FTXA25A2V1BS | > FTXA42A2V1BS |
| > CTXA15A2V1BT | > FTXA25A2V1BT | > FTXA42A2V1BT |
| > CTXA15A2V1BW | > FTXA25A2V1BW | > FTXA42A2V1BW |
| > FTXA20A2V1BS | > FTXA35A2V1BS | > FTXA50A2V1BS |
| > FTXA20A2V1BT | > FTXA35A2V1BT | > FTXA50A2V1BT |
| > FTXA20A2V1BW | > FTXA35A2V1BW | > FTXA50A2V1BW |

TABLE OF CONTENTS

CTXA-AS/AT/AW, FTXA-AS/AT/AW

1	Features	2
	CTXA-AS	1
	CTXA-AT	2
	CTXA-AW	3
	FTXA-AS	4
	FTXA-AT	5
	FTXA-AW	6
2	Specifications	8
	Technical Specifications	8
	Electrical Specifications	9
3	Dimensional drawings	10
4	Centre of gravity	11
5	Piping diagrams	12
6	Wiring diagrams	13
	Wiring Diagrams - Single Phase	13
7	Sound data	14
	Sound Power Spectrum	14
	Sound Pressure Spectrum	17

1 Features

1 - 0 CTXA-AS

- A compact and functional design suitable for all interiors in a silver coloured elegant finish
- The Coanda effect optimises the airflow for a comfortable climate. By using specially designed flaps, a more focused airflow allows a better temperature distribution throughout the whole room
- The grid eye sensor determines the current room temperature and distributes air evenly throughout the room before switching to an airflow pattern that directs warm or cool air to areas that need it
- Powerful air purification increases indoor air quality with Daikin Flash Streamer technology
- Practically inaudible: the unit runs so quietly, you will almost forget it is there.
- Online controller: control your indoor from any location with an app, via your local network or internet
- Choosing for an R-32 product, reduces the environmental impact with 68% compared to R-410A and leads directly to lower energy consumption thanks to its high energy efficiency
- Seasonal efficiency values up to A+++ in cooling and heating



- | | | | | | | | | |
|-----------------------|---------------------------------|-------------------------------------|-------------------------------|--------------|-----------------------------------|-----------------------|---------------------|-------------------|
| | | | | | | | | |
| Practically inaudible | Coanda effect - cooling | Coanda effect - heating | Grid eye sensor | Econo mode | Energy saving during standby mode | Night set mode | Fan only | Comfort mode |
| | | | | | | | | |
| Powerful mode | Auto cooling-heating changeover | Indoor unit silent operation | Outdoor unit silent operation | 3-D air flow | Vertical auto swing | Horizontal auto swing | Auto fan speed | Fan speed steps |
| | | | | | | | | |
| Dry programme | Flash Streamer | Titanium apatite deodorising filter | Air filter | Weekly timer | Infrared remote control | Wired remote control | Centralised control | Online controller |
| | | | | | | | | |
| Auto-restart | Self diagnosis | Multi model application | | | | | | |

1 Features

1 - 1 CTXA-AT

1

- A compact and functional design suitable for all interiors in blackwood finish
- The Coanda effect optimises the airflow for a comfortable climate. By using specially designed flaps, a more focused airflow allows a better temperature distribution throughout the whole room
- The grid eye sensor determines the current room temperature and distributes air evenly throughout the room before switching to an airflow pattern that directs warm or cool air to areas that need it
- Powerful air purification increases indoor air quality with Daikin Flash Streamer technology
- Practically inaudible: the unit runs so quietly, you will almost forget it is there.
- Online controller: control your indoor from any location with an app, via your local network or internet
- Choosing for an R-32 product, reduces the environmental impact with 68% compared to R-410A and leads directly to lower energy consumption thanks to its high energy efficiency
- Seasonal efficiency values up to A+++ in cooling and heating



- | | | | | | | | | |
|-----------------------|---------------------------------|-------------------------------------|-------------------------------|--------------|-----------------------------------|-----------------------|---------------------|-------------------|
| | | | | | | | | |
| Practically inaudible | Coanda effect - cooling | Coanda effect - heating | Grid eye sensor | Econo mode | Energy saving during standby mode | Night set mode | Fan only | Comfort mode |
| | | | | | | | | |
| Powerful mode | Auto cooling-heating changeover | Indoor unit silent operation | Outdoor unit silent operation | 3-D air flow | Vertical auto swing | Horizontal auto swing | Auto fan speed | Fan speed steps |
| | | | | | | | | |
| Dry programme | Flash Streamer | Titanium apatite deodorising filter | Air filter | Weekly timer | Infrared remote control | Wired remote control | Centralised control | Online controller |
| | | | | | | | | |
| Auto-restart | Self diagnosis | Multi model application | | | | | | |

1 Features

1 - 2 CTXA-AW

- A compact and functional design suitable for all interiors in a matt crystal white finish
- The Coanda effect optimises the airflow for a comfortable climate. By using specially designed flaps, a more focused airflow allows a better temperature distribution throughout the whole room
- The grid eye sensor determines the current room temperature and distributes air evenly throughout the room before switching to an airflow pattern that directs warm or cool air to areas that need it
- Powerful air purification increases indoor air quality with Daikin Flash Streamer technology
- Practically inaudible: the unit runs so quietly, you will almost forget it is there.
- Online controller: control your indoor from any location with an app, via your local network or internet
- Choosing for an R-32 product, reduces the environmental impact with 68% compared to R-410A and leads directly to lower energy consumption thanks to its high energy efficiency
- Seasonal efficiency values up to A+++ in cooling and heating



Practically inaudible	Coanda effect - cooling	Coanda effect - heating	Grid eye sensor	Econo mode	Energy saving during standby mode	Night set mode	Fan only	Comfort mode
Powerful mode	Auto cooling-heating changeover	Indoor unit silent operation	Outdoor unit silent operation	3-D air flow	Vertical auto swing	Horizontal auto swing	Auto fan speed	Fan speed steps
Dry programme	Flash Streamer	Titanium apatite deodorising filter	Air filter	Weekly timer	Infrared remote control	Wired remote control	Centralised control	Online controller
Auto-restart	Self diagnosis	Multi model application						

1 Features

1 - 3 FTXA-AS

1

- A compact and functional design suitable for all interiors in a silver coloured elegant finish
- The Coanda effect optimises the airflow for a comfortable climate. By using specially designed flaps, a more focused airflow allows a better temperature distribution throughout the whole room
- The grid eye sensor determines the current room temperature and distributes air evenly throughout the room before switching to an airflow pattern that directs warm or cool air to areas that need it
- Powerful air purification increases indoor air quality with Daikin Flash Streamer technology
- Practically inaudible: the unit runs so quietly, you will almost forget it is there.
- Online controller: control your indoor from any location with an app, via your local network or internet
- Choosing for an R-32 product, reduces the environmental impact with 68% compared to R-410A and leads directly to lower energy consumption thanks to its high energy efficiency
- Seasonal efficiency values up to A+++ in cooling and heating



- | | | | | | | | | |
|-----------------------|---------------------------------|-------------------------------------|-------------------------------|--------------|-----------------------------------|-----------------------|---------------------|-------------------|
| | | | | | | | | |
| Practically inaudible | Coanda effect - cooling | Coanda effect - heating | Grid eye sensor | Econo mode | Energy saving during standby mode | Night set mode | Fan only | Comfort mode |
| | | | | | | | | |
| Powerful mode | Auto cooling-heating changeover | Indoor unit silent operation | Outdoor unit silent operation | 3-D air flow | Vertical auto swing | Horizontal auto swing | Auto fan speed | Fan speed steps |
| | | | | | | | | |
| Dry programme | Flash Streamer | Titanium apatite deodorising filter | Air filter | Weekly timer | Infrared remote control | Wired remote control | Centralised control | Online controller |
| | | | | | | | | |
| Auto-restart | Self diagnosis | Multi model application | | | | | | |

1 Features

1 - 4 FTXA-AT

- A compact and functional design suitable for all interiors in blackwood finish
- The Coanda effect optimises the airflow for a comfortable climate. By using specially designed flaps, a more focused airflow allows a better temperature distribution throughout the whole room
- The grid eye sensor determines the current room temperature and distributes air evenly throughout the room before switching to an airflow pattern that directs warm or cool air to areas that need it
- Powerful air purification increases indoor air quality with Daikin Flash Streamer technology
- Practically inaudible: the unit runs so quietly, you will almost forget it is there.
- Online controller: control your indoor from any location with an app, via your local network or internet
- Choosing for an R-32 product, reduces the environmental impact with 68% compared to R-410A and leads directly to lower energy consumption thanks to its high energy efficiency
- Seasonal efficiency values up to A+++ in cooling and heating



- | | | | | | | | | |
|-----------------------|---------------------------------|-------------------------------------|-------------------------------|--------------|-----------------------------------|-----------------------|---------------------|-------------------|
| | | | | | | | | |
| Practically inaudible | Coanda effect - cooling | Coanda effect - heating | Grid eye sensor | Econo mode | Energy saving during standby mode | Night set mode | Fan only | Comfort mode |
| | | | | | | | | |
| Powerful mode | Auto cooling-heating changeover | Indoor unit silent operation | Outdoor unit silent operation | 3-D air flow | Vertical auto swing | Horizontal auto swing | Auto fan speed | Fan speed steps |
| | | | | | | | | |
| Dry programme | Flash Streamer | Titanium apatite deodorising filter | Air filter | Weekly timer | Infrared remote control | Wired remote control | Centralised control | Online controller |
| | | | | | | | | |
| Auto-restart | Self diagnosis | Multi model application | | | | | | |

1 Features

1 - 5 FTXA-AW

1


- A compact and functional design suitable for all interiors in a matt crystal white finish
- The Coanda effect optimises the airflow for a comfortable climate. By using specially designed flaps, a more focused airflow allows a better temperature distribution throughout the whole room
- The grid eye sensor determines the current room temperature and distributes air evenly throughout the room before switching to an airflow pattern that directs warm or cool air to areas that need it
- Powerful air purification increases indoor air quality with Daikin Flash Streamer technology
- Practically inaudible: the unit runs so quietly, you will almost forget it is there.
- Online controller: control your indoor from any location with an app, via your local network or internet
- Choosing for an R-32 product, reduces the environmental impact with 68% compared to R-410A and leads directly to lower energy consumption thanks to its high energy efficiency
- Seasonal efficiency values up to A+++ in cooling and heating



Practically inaudible	Coanda effect - cooling	Coanda effect - heating	Grid eye sensor	Econo mode	Energy saving during standby mode	Night set mode	Fan only	Comfort mode
Powerful mode	Auto cooling-heating changeover	Indoor unit silent operation	Outdoor unit silent operation	3-D air flow	Vertical auto swing	Horizontal auto swing	Auto fan speed	Fan speed steps
Dry programme	Flash Streamer	Titanium apatite deodorising filter	Air filter	Weekly timer	Infrared remote control	Wired remote control	Centralised control	Online controller
Auto-restart	Self diagnosis	Multi model application						



Daikin Europe N.V. Naamloze Vennootschap - Zandvoordestraat 300, B-8400 Oostende - Belgium - www.daikin.eu - BE 0412 120 336 - RPR Oostende



EEEN18 02/18



Daikin Europe N.V. participates in the Eurovent Certified Performance programme for Liquid Chilling Packages and Hydronic Heat Pumps, Fan Coil Units and Variable Refrigerant Flow systems. Check ongoing validity of certificate: www.eurovent-certification.com



The present leaflet is drawn up by way of information only and does not constitute an offer binding upon Daikin Europe N.V.. Daikin Europe N.V. has compiled the content of this leaflet to the best of its knowledge. No express or implied warranty is given for the completeness, accuracy, reliability or fitness for particular purpose of its content and the products and services presented therein. Specifications are subject to change without prior notice. Daikin Europe N.V. explicitly rejects any liability for any direct or indirect damage, in the broadest sense, arising from or related to the use and/or interpretation of this leaflet. All content is copyrighted by Daikin Europe N.V.